Journal of MOLECULAR BIOLOGY

PERIODICAL
UNIVERSITY OF HAWAI
LIBRARY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
P. Berg
M. Cohn
P. Doty
R. Dulbecco
E. P. Geiduschek
F. Gros
J. Hurwitz
H. E. Huxley
V. M. Ingram
O. Maaløe
B. Magasanik
A. Novick
D. C. Phillips
G. S. Stent

VOLUME 19
August 1966

ACADEMIC PRESS
LONDON and NEW YORK

QH301
J73

Copyright © 1966, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any
form, by photostat, microfilm, or any other means,
without written permission from the publishers.

Printed in Great Britain

678740

QH301
J73
v.19

5856-79

CONTENTS OF VOLUME 19

Number 1, August 1966

Waters, L. C. and Dure, L. S., III, Ribonucleic Acid Synthesis in Germinating Cotton Seeds 1

Chroboczek, H. and Cherry, J. H., Characterization of Nucleic Acids in Peanut Cotyledons 28

Hill, C. W. and Echols, H., Properties of a Mutant blocked in Inducibility of Messenger RNA for the Galactose Operon of *Escherichia coli* 38

DeRosier, D. J. and Haselkorn, R., Particle Weight of Turnip Yellow Mosaic Virus 52

Muto, A., Otaka, E. and Osawa, S., Protein Synthesis in a Relaxed-control Mutant of *Escherichia coli* upon Recovery from Methionine Starvation . 60

Sundararajan, T. A. and Thach, R. E., Role of the Formylmethionine Codon AUG in Phasing Translation of Synthetic Messenger RNA 74

Clegg, J. B., Naughton, M. A., and Weatherall, D. J., Abnormal Human Haemoglobins. Separation and Characterization of the α and β Chains by Chromatography, and the Determination of Two New Variants, Hb Chesapeake and Hb J(Bangkok) 91

Richards, O. C. and Boyer, P. D. ^{18}O-Labeling of Deoxyribonucleic Acid during Synthesis and Stability of the Label during Replication . . 109

Bachrach, U. and Leibovici, J., Inhibitory Effect of Oxidized Spermine on the Multiplication of Coliphage T5 120

Grant, E. H., Dielectric Dispersion in Bovine Serum Albumen 133

Siegel, A., Hills, G. J. and Markham, R., *In vitro* and *in vivo* Aggregation of the Defective PM2 Tobacco Mosaic Virus Protein 140

Blake, R. D. and Fresco, J. R., Polynucleotides. VII. Spectrophotometric Study of the Kinetics of Formation of the Two-stranded Helical Complex Resulting from the Interaction of Polyriboadenylate and Polyribouridylate 145

Hayashi, H., Species Specificity of Tyrosine Transfer RNA's from *Escherichia coli* and Yeast 161

Joyner, A., Isaacs, L. N., Echols, H. and Sly, W. S., DNA Replication and Messenger RNA Production after Induction of Wild-type λ Bacteriophage and λ Mutants 174

Dove, W. F., Action of the Lambda Chromosome. I. Control of Functions Late in Bacteriophage Development 187

Letters to the Editor—

BERGQUIST, P. L. and CAPECCHI, M. R., Fractionation of a Suppressor sRNA 202

STAEHELIN, T. and MESELSON, M., Determination of Streptomycin Sensitivity by a Subunit of the 30 s Ribosome of *Escherichia coli* . . 207

TRAUB, P., HOSOKAWA, K. and NOMURA, M., Streptomycin Sensitivity and the Structural Components of the 30 s Ribosomes of *Escherichia coli*. 211

TRAUB, P., NOMURA, M. and TU, L., Physical and Functional Heterogeneity of Ribosomal Proteins 215

SELLIN, H. G., SRINIVASAN, P. R. and BOREK, E., Studies of a Phage-induced DNA Methylase 219

LONGLEY, W. and LEBERMAN, R., Structural Similarity of Artificial and Natural Top Components of Turnip Yellow Mosaic Virus . . 223

ERRATA 226

NUMBER 2, AUGUST 1966

BREILLATT, J. and DICKMAN, S. R., Effect of Magnesium Chloride and Potassium Chloride on the Sedimentation Characteristics of Ribonucleoprotein isolated from Dog Pancreas 227

FASMAN, G. D., FOSTER, R. J. and BEYCHOK, S., The Conformational Transition associated with the Activation of Chymotrypsinogen to Chymotrypsin . 240

BECKWITH, J. R. and SIGNER, E. R., Transposition of the *Lac* Region of *Escherichia coli*. I. Inversion of the *Lac* Operon and Transduction of *Lac* by $\phi 80$ 254

KOHN, K. W., SPEARS, C. L. and DOTY, P., Inter-strand Crosslinking of DNA by Nitrogen Mustard 266

APPENDIX: Terminology of Configurational Changes of DNA in Solution . 287

KOHN, K. W. and GREEN, D. M., Transforming Activity of Nitrogen Mustard-crosslinked DNA 289

PEARSON, M. and JOHNS, H. E., Excision of Dimers and Hydrates from Ultraviolet-irradiated Poly U by Pancreatic Ribonuclease 303

KAPLAN, A. S. and BEN-PORAT, T., Mode of Antiviral Action of 5-Iodouracil Deoxyriboside 320

LODISH, H. F. and ZINDER, N. D., Mutants of the Bacteriophage f2. VIII. Control Mechanisms for Phage-specific Syntheses 333

WARNER, J. R., SOEIRO, R., BIRNBOIM, H. C., GIRARD, M. and DARNELL, J. E., Rapidly Labeled HeLa Cell Nuclear RNA. I. Identification by Zone Sedimentation of a Heterogeneous Fraction separate from Ribosomal Precursor RNA 349

Soeiro, R., Birnboim, H. C. and Darnell, J. E., Rapidly Labeled HeLa Cell Nuclear RNA. II. Base Composition and Cellular Localization of a Heterogeneous RNA Fraction 362

Warner, J. R., Girard, M., Latham, H. and Darnell, J. E., Ribosome Formation in HeLa Cells in the Absence of Protein Synthesis . . . 373

Warner, J. R., The Assembly of Ribosomes in HeLa Cells 383

Brown, D. D. and Gurdon, J. B., Size Distribution and Stability of DNA-like RNA synthesized during Development of Anucleolate Embryos of *Xenopus laevis* 399

Lipscombe, W. N., Coppola, J. C., Hartsuck, J. A., Ludwig, M. L., Muirhead, H., Searl, J. and Steitz, T. A., The Structure of Carboxypeptidase A. III. Molecular Structure at 6 Å Resolution 423

Clark, A. J., Chamberlin, M., Boyce, R. P. and Howard-Flanders, P., Abnormal Metabolic Response to Ultraviolet Light of a Recombination Deficient Mutant of *Escherichia coli* K12 442

Zomzely, C. E., Roberts, S., Brown, D. M. and Provost, C., Cerebral Protein Synthesis. I. Physical Properties of Cerebral Ribosomes and Polyribosomes 455

Wang, J. C. and Davidson, N., On the Probability of Ring Closure of Lambda DNA 469

Bárány, M., Tucci, A. F. and Conover, T. E., The Removal of the Bound ADP of F-actin 483

Sabatini, D. D., Tashiro, Y. and Palade, G. E., On the Attachment of Ribosomes to Microsomal Membranes 503

Conconi, F. M., Bank, A. and Marks, P. A., Polyribosomes and Control of Protein Synthesis: Effects of Sodium Fluoride and Temperature in Reticulocytes 525

Geiduschek, E. P., Snyder, L., Colvill, A. J. E. and Sarnat, M., Selective Synthesis of T-even Bacteriophage Early Messenger *in vitro* . . . 541

Crick, F. H. C., Codon–Anticodon Pairing: The Wobble Hypothesis . . 548

Söll, D., Jones, D. S., Ohtsuka, E., Faulkner, R. D., Lohrmann, R., Hayatsu, H., Khorana, H. G., Cherayil, J. D., Hampel, A. and Bock, R. M., Specificity of sRNA for Recognition of Codons as Studied by Ribosomal Binding Techniques 556

Letters to the Editor—

Brenner, S., Kaplan, S. and Stretton, A. O. W., Identity of N2 and *Ochre* Nonsense Mutants 574

Fox, C. F., Beckwith, J. R., Epstein, W. and Signer, E. R., Transposition of the *Lac* Region of *Escherichia coli*. II. On the Role of Thiogalactoside Transacetylase in Lactose Metabolism . . . 576

Fraser, R. D. B., MacRae, T. P. and Stewart, F. H. C., Poly-L-alanylglycyl-L-alanylglycyl-L-serylglycine: A Model for the Crystalline Regions of Silk Fibroin 580

Inge-Vechtomov, S. G., Soidla, T. R., Kožin, S. A. and Simarov, B. V., Super-suppressor induced Interallelic Complementation . . . 583

Garnier, J., Conformation de la Caséine β en Solution: Analyse d'une Transition Thermique entre 5 et 40°C 586

Sluyser, M., Binding of Hydrocortisone to Rat Liver Histones . . 591

Announcement 596

Index to Volume 19

Abnormal haemoglobins, separation and characterization of the α- and β-chains by chromatography, and the determination of two new variants Hb Chesapeake and HbJ (Bangkok), 91
F-Actin, the removal of bound adenosine diphosphate, 483
Adenosine diphosphate bound to F-actin, its removal, 483
Antiviral action of 5-iodouracil deoxyriboside, 320

Bachrach, U. & Leibovici, J., Inhibitory effect of oxidized spermine on the multiplication of coliphage T5, 120
Bacteriophage f2 mutants. VIII. Control mechanisms for phage-specific syntheses, 333
—-induced DNA methylase, 219
— λ, action of the chromosome controlling functions late in bacteriophage development, 187
— λ DNA, on the probability of ring closure, 469
— φ80, inversion of the *lac* operon in transduction of *lac* to *Escherichia coli*, 254
—T-even, early messenger *in vitro*, selective synthesis, 541
Bank, A. (see Conconi, F. M.), 525
Bárány, M., Tucci, A. F. & Conover, T. E., The removal of the bound adenosine diphosphate of F-actin, 483
Beckwith, J. R. & Signer, E. R., Transposition of the *lac* region of *Escherichia coli*. I. Inversion of the *lac* operon and transduction of *lac* by φ80, 254
— (see Fox, C. F.), 576
Ben-Porat, T. (see Kaplan, A. S.), 320
Bergquist, P. L. & Capecchi, M. R., Fractionation of a suppressor sRNA, 202
Beychok, S. (see Fasman, G. D.), 240
Birnboim, H. C., (see Soeiro, R.), 362
— (see Warner, J. R.), 349
Blake, R. D. & Fresco, J. R., Polynucleotides. VII. Spectrophotometric study of the kinetics of formation of the two-stranded helical complex resulting from the interaction of polyriboadenylate and polyribouridylate, 145
Bock, R. M. (see Söll, D.), 556
Borek, E. (see Sellin, H. G.), 219
Boyce, R. P. (see Clark, A. J.), 442
Boyer, P. D. (see Richards, O. C.), 109
Brenner, S., Kaplan, S. & Stretton, A. O. W., Identity of N2 and *ochre* nonsense mutants, 574
Breillatt, J. & Dickman, S. R., Effect of magnesium chloride and potassium chloride on the sedimentation characteristics of ribonucleoprotein isolated from dog pancreas, 227
Brown. D. D. & Gurdon, J. B., Size distribution and stability of DNA-like RNA synthesized during development of anucleolate embryos of *Xenopus laevis*, 399
Brown, D. M. (see Zomzely, C. E.), 455

Capecchi, M. R. (see Bergquist, P. L.), 202
β-Casein in solution, transconformation; analysis of a thermal transition between 5 and 40°C, 586
Carboxypeptidase A, structure, III. Molecular structure at 6 Å resolution, 423
Cerebral protein synthesis. I. Physical properties of cerebral ribosomes and polyribosomes, 455
Chamberlin, M. (see Clark, A. J.), 442
Cherayil, J. D. (see Söll, D.), 556
Cherry, J. H. (see Chroboczek, H.), 28
Chroboczek, H. & Cherry, J. H., Characterization of nucleic acids in peanut cotyledons, 28
Chromosome of lambda, action in controlling functions late in bacteriophage development, 187
Chymotrypsin, the conformational transition from chymotrypsinogen, 240
Chymotrypsinogen: chymotrypsin, conformational transition, 240
Clark, A. J., Chamberlin, M., Boyce, R. P. & Howard-Flanders, P., Abnormal metabolic response to ultraviolet light of a recombination-deficient mutant of *Escherichia coli* K12, 442

Clegg, J. B., Naughton, M. A. & Weatherall, D. J., Abnormal human haemoglobins: separation and characterization of the α- and β-chains by chromatography, and the determination of two new variants, Hb Chesapeake and Hb J (Bangkok), 91
Codon–anticodon pairing: the wobble hypothesis, 548
Codon, AUG for formylmethionine, its role in phasing translation of synthetic messenger RNA, 74
— recognition as studied by ribosomal binding technique, specificity of sRNA, 556
Coliphage, inhibitory effect of oxidized spermine on multiplication, 120
Colvill, A. J. E. (see Geiduschek, E. P.), 541
Complementation, interallelic, induced by super-suppression, 583
Conconi, F. M., Bank, A. & Marks, P. A., Polyribosomes and control of protein synthesis: effects of sodium fluoride and temperature in reticulocytes, 525
Conover, T. E. (see Bárány, M.), 483
Control mechanisms for phage-specific synthesis in mutants of f2, 333
Coppola, J. C. (see Lipscomb, W. N.), 423
Cotton seeds, germinating, RNA synthesis, 1
Crick, F. H. C., Codon–anticodon pairing: the wobble hypothesis, 548

Darnell, J. E. (see Soeiro, R.), 362
— (see Warner, J. R.), 349, 375
Davidson, N. (see Wang, J. C.), 469
Deoxyribonucleic acid in solution, terminology of configurational changes, 287
— —, inter-strand crosslinking by nitrogen mustard, 266
— —-like RNA synthesized during development of anucleolate embryos of *Xenopus laevis*, size distribution and stability, 399
— — methylase induced by a bacteriophage, 219
— —, nitrogen mustard-crosslinked, transforming activity, 289
— —, ^{18}O-labeling during synthesis and stability of the label during replication, 109
— — of bacteriophage λ, on the probability of ring closure, 469
— — replication and messenger RNA production, 174
Deoxyriboside, 5-iodouracil, mode of antiviral action, 320
DeRosier, D. J. & Haselkorn, R., Particle weight of turnip yellow mosaic virus, 52
Dickman, S. R. (see Breillatt, J.), 227
Dielectric dispersion of bovine serum albumin, 133
Dimers and hydrates, excision from ultraviolet-irradiated poly U by pancreatic ribonuclease, 303
Doty, P. (see Kohn, K. W.), 266
Dove, W. F., Action of the lambda chromosome. I. Control of functions late in bacteriophage development, 187
Dure, L. S., III. (see Waters, L. C.), 1

Echols, H. (see Hill, C. W.), 38
— (see Joyner, A.), 174
Epstein, W. (see Fox, C. F.), 576
Escherichia coli and yeast tyrosine transfer RNA, species specificity, 161
— — K12, abnormal metabolic response to ultraviolet light of a recombination-deficient mutant, 442
— —, properties of a mutant blocked in inducibility of mRNA for the galactose operon, 38
— —, protein synthesis in a relaxed-control mutant upon recovery from methionine starvation, 60
— — ribosome subunit, use in determination of streptomycin sensitivity, 207
— — 30 s ribosomes, the structural components and streptomycin sensitivity, 211
— —, transposition of the *lac* region. I. Inversion of the *lac* operon and transduction of *lac* by φ80, 254
— — — — — — — II. On the role of thiogalactoside transacetylase in lactose metabolism, 576

f2 (see bacteriophage), 333
Fasman, G. D., Foster, R. J. & Beychok, S., The conformational transition associated with the activation of chymotrypsinogen to chymotrypsin, 240
Faulkner, R. D. (see Söll, D.), 556
Fibroin, silk, a model for the crystalline regions: poly-L-alanylglycyl-L-alanylglycyl-L-serylglycine, 580
Formylmethionine codon AUG, its role in phasing translation of synthetic messenger RNA, 74
Foster, R. J. (see Fasman, G. D.), 240
Fox, C. F., Beckwith, J. R., Epstein, W. & Signer, E. R., Transposition of the *lac* region of *Escherichia coli*. II. On the role of thiogalactoside transacetylase in lactose metabolism, 576

Fraser, R. D. B., MacRae, T. P. & Stewart, F. H. C., Poly-L-alanylglycyl-L-alanylglycyl-L-serylglycine: a model for the crystalline regions of silk fibroin, 580
Fresco, J. R. (see Blake, R. D.), 145

Galactose messenger RNA, a mutant blocked in inducibility, 38
Garnier, J., Conformation de la caséine β en solution analyse d'une transition thermique entre 5 et 40°C, 586
Geiduschek, E. P., Snyder, L., Colvill, A. J. E. & Sarnat, M., Selective synthesis of T-even bacteriophage early messenger *in vitro*, 541
Girard, M .(see Warner, J. R.), 349, 373
Grant, E. H., Dielectric dispersion in bovine serum albumin, 133
Green, D. M. (see Kohn, K. W.), 289
Gurdon, J. B. (see Brown, D. D.), 399

Haemoglobins, abnormal human; separation and characterization of the α- and β-chains by chromatography, and the determination of two new variants, Hb Chesapeake and Hb J (Bangkok), 91
Hampel, A. (see Söll, D.), 556
Hartsuck, J. A. (see Lipscomb, W. N.), 423
Haselkorn, R. (see DeRosier, D. J.), 52
Hayashi, H., Species specificity of tyrosine transfer RNA's from *Escherichia coli* and yeast, 161
Hayatsu, H. (see Söll, D.), 556
HeLa cell nuclear rapidly labelled RNA. I. Identification by zone sedimentation of a heterogenous fraction separate from ribosomal precursor RNA, 349
— — — — — — II. Base composition and cellular localization of a heterogeneous RNA fraction, 362
— cells, ribosome formation in the absence of protein synthesis, 373
— —, the assembly of ribosomes, 383
Helical complex resulting from the interaction of polyriboadenylate and polyribouridylate, 145
Hill, C. W. & Echols, H., Properties of a mutant blocked in inducibility of mRNA for the galactose operon of *Escherichia coli*, 38
Hills, G. J. (see Siegel, A.), 140
Histones, rat liver, to which hydrocortisone is bound, 591
Hosokawa, K. (see Traub, P.), 211
Howard-Flanders, P. (see Clark, A. J.), 442
Hydrates and dimers, excision from ultraviolet-irradiated poly U by pancreatic ribonuclease, 303
Hydrocortisone bound to rat liver histones, 591

Inge-Vechtomov, S. G., Soidla, T. R., Kožin, S. A. & Simarov, B. V., Super-suppressor induced interallelic complementation, 583
5-Iodouracil deoxyriboside, mode of antiviral action, 320
Isaacs, L. N. (see Joyner, A.), 174

Johns, H. E. (see Pearson, M.), 303
Jones, D. S. (see Söll, D.), 556
Joyner, A., Isaacs, L. N., Echols, H. & Sly, W. S., DNA replication and messenger RNA production, 174

Kaplan, A. S. & Ben-Porat, T., Mode of antiviral action of 5-iodouracil deoxyriboside, 320
Kaplan, S. (see Brenner, S.), 574
Khorana. H. G. (see Söll, D.), 556
Kohn, K. W. & Green, D. M., Transforming activity of nitrogen mustard-crosslinked DNA, 289

Kohn, K. W., Spears, C. L. & Doty, P., Inter-strand crosslinking of DNA by nitrogen mustard, 266
Appendix: Terminology of configurational changes of DNA in solution, 287
Kožin, S. A. (see Inge-Vechtomov, S. G.), 583

Lac region of *Escherichia coli*, transposed, I. Inversion of the *lac* operon and transduction of *lac* by φ80. 254
— — — — — — II. On the role of thiogalactoside transacetylase in lactose metabolism, 576
λ (see bacteriophage), 187, 469
Latham, H. (see Warner, J. R.), 373
Leberman, R. (see Longley, W.), 223
Leibovici, J. (see Bachrach, U.), 120
Lipscomb, W. N., Coppola, J. C., Hartsuck, J. A., Ludwig, M. L., Muirhead, H., Searl, J. & Steitz., T.A., The structure of carboxypeptidase A. III. Molecular structure at 6 Å resolution, 423
Lodish, H. F. & Zinder, N. D., Mutants of bacteriophage f2. VIII. Control mechanisms for phage-specific syntheses, 333
Lohrmann, R. (Söll, D.), 556
Longley, W. & Leberman, R., Structural similarity of artificial and natural top components of turnip yellow mosaic virus, 223
Ludwig, M. L. (see Lipscomb, W. N.), 423

MacRae, T. P. (see Fraser, R. D. B.), 580
Magnesium chloride and potassium chloride, their effect on the sedimentation characteristics of ribonucleoprotein isolated from dog pancreas. 227
Markham, R. (see Siegel, A.), 140
Marks, P. A. (see Conconi, F. M.), 525
Meselson, M. (see Staehelin, T.), 207
Messenger RNA for the galactose operon of *Escherichia coli*, properties of a mutant blocked in inducibility, 38
— — production and DNA replication, 174
— —, synthetic, the role of the formylmethionine codon AUG in phasing translation, 74
Methionine starvation, its effect on protein synthesis in a relaxed-control mutant of *Escherichia coli*, 60
Methylase, DNA, bacteriophage-induced, 219
Muirhead, H. (see Lipscomb, W. N.), 423
Mutant blocked in inducibility of mRNA for the galactose operon of *Escherichia coli*, 38
— of *Escherichia coli* K12, recombination deficient, abnormal metabolic response to ultraviolet light, 442
Mutants of bacteriophage f2. VIII. Control mechanisms for phage-specific synthesis, 333
—, N2 and *ochre* nonsense, identity, 574
Muto, A., Otaka, E. & Osawa, S., Protein synthesis in a relaxed-control mutant of *Escherichia coli* upon recovery from methionine starvation, 60

N2 and *ochre* nonsense mutants, identity, 574
Naughton, M. A. (see Clegg, J. B.), 91
Nitrogen mustard causing inter-strand crosslinking of DNA, 266
— — crosslinked DNA transforming activity, 289
Nomura, M. (see Traub, P.), 211, 215
Nonsense mutants, *ochre* and N2, identity, 574
Nuclear RNA rapidly labelled, from HeLa cells, I. Identification by zone sedimentation of a heterogenous fraction separate from ribosomal precursor RNA, 349
— —, II. Base composition and cellular localization of a heterogenous RNA fraction, 362
Nucleic acids in peanut cotyledons, 28

^{18}O-labeling of DNA during synthesis and stability of the label during replication, 109
Ochre and N2 nonsense mutants, identity, 574
Ohtsuka, E. (see Söll, D.), 556
Osawa, S. (see Muto, A.), 60
Otaka, E. (see Muto, A.), 60

Palade, G. E. (see Sabatini, D. D.), 503
Peanut cotyledons, the nucleic acids, 28
Pearson, M. & Johns, H. E., Excision of dimers and hydrates from ultraviolet-irradiated poly U by pancreatic ribonuclease, 303
φ80 (see bacteriophage), 254
PM2 tobacco mosaic virus protein, *in vitro* and *in vivo* aggregation, 140
Poly-L-alanylglycyl-L-alanylglycyl-L-serylglycine: a model for the crystalline regions of silk fibroin, 580
Polynucleotides. VII. Spectrophotometric study of the kinetics of formation of the two-stranded helical complex resulting from the interaction of polyriboadenylate and polyribouridylate, 145
Polyriboadenylate and polyribouridylate, spectrophotometric study of the kinetics of interaction, 145
Polyribosomes and control of protein synthesis: effects of sodium fluoride and temperature in reticulocytes, 525
— and cerebral ribosomes, physical properties, 455
Polyribouridylate and polyriboadenylate, spectrophotometric study of the kinetics of interaction, 145
Polyuridylic acid, ultraviolet-irradiated, excision of dimers and hydrates by pancreatic ribonuclease, 303
Potassium chloride and magnesium chloride, their effect on the sedimentation characteristics of, ribonucleoprotein isolated from dog pancreas, 227
Protein synthesis, cerebral. I. Physical properties of cerebral ribosomes and polyribosomes, 455
— — control, and polyribosomes, 525
Provost, C. (see Zomzely, C. E.), 455

Replication of DNA and messenger RNA production, 174
Reticulocytes, effects of sodium fluoride and temperature, 525
Ribonuclease, pancreatic, its excision of dimers and hydrates from ultraviolet-irradiated poly U, 303
Ribonucleic acid, DNA-like, synthesized during development of anucleolate embryos of *Xenopus laevis*, size distribution and stability, 399
— — messenger, for the galactose operon of *Escherichia coli*, properties of a mutant blocked in inducibility, 38
— —, —, production and DNA replication, 174
— —, rapidly labeled, nuclear, from HeLa cells. I. Identification by zone sedimentation of a heterogeneous fraction separate from ribosomal precursor RNA, 349
— —, — —, — — — — .II. Base composition and cellular localization of a heterogeneous RNA fraction, 362
— — synthesis in germinating cotton seeds, 1
— —, synthetic messenger, the role of the formylmethionine codon AUG in phasing translation, 74
sRibonucleic acid, specificity for recognition of codons as studied by ribosomal binding technique, 556
— —, suppressor, fractionation, 202
Ribonucleoprotein isolated from dog pancreas, effect of magnesium chloride and potassium chloride on the sedimentation characteristics, 227
Ribosomal binding technique used to study specificity of sRNA for recognition of codons, 556
— precursor RNA, identification by zone sedimentation of a separate heterogeneous fraction using rapidly-labelled HeLa cell nuclear RNA, 349
— proteins, physical and functional heterogeneity, 215
Ribosome assembly in HeLa cells, 383
— formation in HeLa cells in the absence of protein synthesis, 373
Ribosomes, cerebral, and polyribosomes, physical properties, 455
— of *Escherichia coli*, determination of streptomycin sensitivity by a subunit of 30 s type, 207
— — —, the structural components and streptomycin sensitivity of 30 s type, 211
—, their attachment to microsomal membranes, 503
Richards, O. C. & Boyer, P. D., ^{18}O-labeling of DNA during synthesis and stability of the label during replication, 109
Ring closure of λ DNA, 469
Roberts, S. (see Zomzely, C. E.), 455

Sabatini, D. D., Tashiro, Y. & Palade G. E., On the attachment of ribosomes to microsomal membranes, 503
Sarnat. M. (see Geiduschek, E. P.), 541

Searl, J. (see Lipscomb, W. N.), 423
Sellin, H. G., Srinivasan, P. R. & Borek, E., Studies of a coliphage-induced DNA methylase, 219
Serum albumin, bovine, dielectric dispersion, 133
Siegel, A., Hills, G. J. & Markham, R., *In vitro* and *in vivo* aggregation of the defective PM2 tobacco mosaic virus protein, 140
Signer, E. R. (see Beckwith, J. R.), 254
— (see Fox, C. F.), 576
Simarov, B. V. (see Inge-Vechtomov, S. G.), 583
Sluyser, M., Binding of hydrocortisone to rat liver histones, 591
Sly, W. S. (see Joyner, A.), 174
Snyder, L. (see Geiduschek, E. P.), 541
Sodium fluoride and temperature in reticulocytes, effects, 525
Soeiro, R. Birnboim, H. C. & Darnell, J. E., Rapidly labeled HeLa cell nuclear RNA. II. Base composition and cellular localization of a heterogeneous RNA fraction, 362
— (see Warner, J. R.), 349
Soidla, T. R. (see Inge-Vechtomov, S. G.), 583
Söll, D., Jones, D. S., Ohtsuka, E., Faulkner, R. D., Lohrmann, R., Hayatsu, H. Khorana, H. G., Cherayil, J. D., Hampel, A. & Bock, R. M., Specificity of sRNA for recognition of codons as studied by ribosomal binding technique, 556
Spears, C. L. (see Kohn, K. W.), 266
Spermine oxidized, inhibitory effect on the multiplication of coliphage T5, 120
Srinivasan, P. R. (see Sellin, H. G.), 219
Staehelin, T. & Meselson, M., Determination of streptomycin sensitivity by a subunit of the 30 s ribosome of *Escherichia coli*, 207
Steitz, T. A. (see Lipscomb, W. N.), 423
Stewart, F. H. C. (see Fraser, R. D. B.), 580
Streptomycin sensitivity and the structural components of the 30 s ribosomes of *Escherichia coli*, 211
— —, determination by a subunit of the 30 s ribosome of *Escherichia coli*, 207
Sundararajan, T. A. & Thach, R. E., Role of the formylmethionine codon AUG in phasing translation of synthetic messenger RNA, 74
Super-suppressor induced interallelic complementation, 583
Suppressor sRNA, fractionation, 202

T5 (see coliphage), 120
T-even bacteriophage early messenger *in vitro*, selective synthesis, 541
Tashiro, Y. (see Sabatini, D. D.), 503
Thach, R. E. (see Sundararajan, T. A.), 74
Thiogalactoside transacetylase, its role in lactose metabolism, 576
Tobacco mosaic virus protein, PM2 strain, *in vitro* and *in vivo* aggregation, 140
Transduction of *lac* by φ80 and inversion of the *lac* operon in *Escherichia coli*, 254
Transfer RNA's, tyrosine, from *Escherichia coli* and yeast, species specificity, 161
Transforming activity of nitrogen mustard-crosslinked DNA, 289
Traub, P., Hosokawa, K., Nomura, M., Streptomycin sensitivity and the structural components of the 30 s ribosomes of *Escherichia coli*, 211
Traub, P., Nomura, M. & Tu, L., Physical and functional heterogeneity of ribosomal proteins, 215
Tu, L. (see Traub, P.), 215
Tucci, A. F. (see Bárány, M.), 483
Turnip yellow mosaic virus, particle weight, 52
— — — —, structural similarity of articial and natural top components, 223
Tyrosine transfer RNA's from *Escherichia coli* and yeast, species specificity, 161

Ultraviolet-irradiated polyuridylic acid, excision of dimers and hydrates by pancreatic ribonuclease, 303
— light causing an abnormal metabolic response in a recombination deficient mutant of *Escherichia coli* K12, 442

Virus, defective PM2 tobacco mosaic, protein, *in vitro* and *in vivo* aggregation, 140
—, turnip yellow mosaic, particle weight, 52
—, — — —, structural similarity of artificial and natural top components, 223

Wang, J. C. & Davidson, N., On the probability of ring closure of lambda DNA, 469
Warner, J. R., The assembly of ribosomes in HeLa cells, 383
—, Girard, M., Latham, H. & Darnell, J. E., Ribosome formation in HeLa cells in the absence of protein synthesis, 373
Warner, J. R., Soeiro, R., Birnboim, H. C., Girard, M. & Darnell, J. E., Rapidly labeled HeLa cell nuclear RNA, I. Identification by zone sedimentation of a heterogeneous fraction separate from ribosomal precursor RNA, 349
Waters, L. C. & Dure, L. S., III. RNA synthesis in germinating cotton seeds, 1
Weatherall, D. J. (see Clegg, J. B.), 91
Wobble hypothesis for codon–anticodon pairing, 548

Xenopus laevis, size distribution and stability of DNA-like RNA synthesized during development of anucleolate embryos, 399

Yeast tyrosine transfer RNA, species specificity, 161

Zinder, N. D. (see Lodish, H. F.), 333
Zomzely, C. E., Roberts, S., Brown, D. M. & Provost, C., Cerebral protein synthesis. I. Physical properties of cerebral ribosomes and polyribosomes, 455